Contents to volume 303

Research Letters

Cysteine reactivity in sorbitol and aldehyde dehydrogenases: Differences towards the pattern in alcohol dehydrogenase (FEBS 11017) *J. Johansson, L. Fleetwood, H. Jörnvall* 1

Cloning and characterization of the cDNA encoding human adenylosuccinate synthetase (FEBS 11046) *S.M. Powell, H. Zalkin, J.E. Dixon* 4

Efficient in vitro folding of the three-disulfide derivatives of hen lysozyme in the presence of glycerol (FEBS 11018) *H. Sawano, Y. Koumoto, K. Ohta, Y. Sasaki, S.-i. Segawa, H. Tachibana* 11

Tumorigenicity-associated expression of protein kinase C isoforms in rhabdomyosarcoma-derived cells (FEBS 11033) *N. Hanania, J.R. Lezenes, M. Castagna* 15

H7, a protein kinase C inhibitor, increases the glutathione content of neuroblastoma cells (FEBS 11049) *F.J. Romero, J. Llopis, V. Felipo, M.-D. Miñana, J. Romá, S. Grisolía* 19

Specific binding of phenolic glycolipid antigens from *Mycobacterium bovis* BCG with antibodies (FEBS 11050) *A. Vercellone, M. Riviere, J.-J. Fournié, G. Puzo* 22

Isolation of a thermostable enzyme catalyzing disulfide bond formation from the archaebacterium *Sulfolobus solfataricus* (FEBS 11054) *A. Guagliardi, L. Cerchia, M. De Rosa, M. Rossi, S. Bartolucci* 27

Structure of the guinea pig neutrophil cationic peptide gene (FEBS 11055) *I. Nagaoka, A. Someya, K. Iwabuchi, T. Yamashita* 31

EPR spectroscopic characterization of an 'iron only' nitrogenase: $S = 3/2$ spectrum of component 1 isolated from *Rhodobacter capsulatus* (FEBS 11057) *A. Müller, K. Schneider, K. Knüttel, a.W.R. Hagen* 36

Characterization of side-directed mutations in conserved domains of MalK, a bacterial member of the ATP-binding cassette (ABC) family (FEBS 11060) *C. Walter, S. Wilken, E. Schneider* 41

Aerobic heat shock activates trehalose synthesis in embryos of *Artemia franciscana* (FEBS 11058) *J.S. Clegg, S.A. Jackson* 45

Three-dimensional structural resemblance between leucine aminopeptidase and carboxypeptidase A revealed by graph-theoretical techniques (FEBS 11059) *P.J. Artymiuk, H.M. Grindley, J.E. Park, D.W. Rice, P. Willett* 48

Differential expression of two sodium channel subtypes in human brain*,** (FEBS 11045) *C.-M. Lu, J. Han, T.A. Rado, G.B. Brown* 53

Site-specific amino-terminal mutants of yeast-expressed β-actin: Characterization of the interaction with myosin and tropomyosin (FEBS 11061) *P. Aspenström, U. Lindberg, R. Karlsson* 59

Affinity labeling of GTP-binding proteins in cellular extracts (FEBS 11062) *A. Löw, H.G. Faulhammer, M. Sprinzl* 64

Class IV alcohol dehydrogenase (the gastric enzyme): Structural analysis of human $\sigma\sigma$-ADH reveals class IV to be variable and confirms the presence of a fifth mammalian alcohol dehydrogenase class (FEBS 11063) *X. Parés, E. Cederlund, A. Moreno, N. Saubi, J.-O. Höög, H. Jörnvall* 69

Effects of 2(3)-*tert*-butyl-4-hydroxyanisole (BHA) on in situ mitochondria of *Trypanosoma cruzi* (FEBS 11064) *J. Aldunate, L. Coloma-Torres, P. Spencer, A. Morello, J.M. Ojeda, Y. Repetto* 73

IL-1β, a strong mediator for glucose uptake by rheumatoid and non-rheumatoid cultured human synoviocytes (FEBS 11065) *A. Hernvann, C. Aussel, L. Cynober, N. Moatti, O.G. Ekindjian* 77

Multiple genes for *Xenopus* activin receptor expressed during early embryogenesis (FEBS 11066) *S.-i. Nishimatsu, S. Oda, K. Murakami, N. Ueno* 81

Protein kinase C activity affects glucose-induced oscillations in cytoplasmic free Ca^{2+} in the pancreatic B-cell (FEBS 11067) *H. Kindmark, M. Köhler, S. Efendić, P. Rorsman, O. Larsson, P.-O. Berggren* 85

Crystallization and preliminary X-ray analysis of recombinant human transforming growth factor β2 (FEBS 11068) *M.P. Schlunegger, N. Cerletti, D.A. Cox, G.K. McMaster, A. Schmitz, M.G. Grütter* 91

Book Reviews and Booklist 107 94

Commentary

Comment to Shinohara et al. (1991) FEBS Lett. 293, 173–174. The uncoupling protein is not expressed in rat liver (FEBS 11051) *D. Ricquier, S. Raimbault, O. Champigny, B. Miroux, F. Bouillaud* 103

Reply to 'Comment' by Ricquier et al. (FEBS 11052) *Y. Shinohara, A. Shima, M. Kamida, H. Terada* 107

Erratum 108

Research Letters

Stereochemistry of oxidized fatty acids generated during catalytic oxygenation of lauric acid and unsaturated analogs by plant microsomes (FEBS 11073) *J.-P. Salaün, D. Weissbart, C. Helvig, F. Durst, P. Pflieger, H. Bosch, C. Mioskowski* 109

Targeting signal of the peroxisomal catalase in the methylotrophic yeast *Hansenula polymorpha* (FEBS 11074) *T. Didion, R. Roggenkamp* 113

Demonstration of DNA binding factors interacting with a fragment of the canine prostate arginine esterase gene promoter (FEBS 11075) *P. Chapdelaine, S. Guérin, R.R. Tremblay, J.Y. Dubé* 117

Dynamic aspects of ovarian superoxide dismutase isozymes during the ovulatory process in the rat (FEBS 11070) *E.F. Sato, H. Kobuchi, K. Edashige, M. Takahashi, T. Yoshioka, K. Utsumi, M. Inoue* 121

The fibrillar collagens, collagen VIII, collagen X and the C1q complement proteins share a similar domain in their C-terminal non-collagenous regions (FEBS 11083) *A. Brass, K.E. Kadler, J.T. Thomas, M.E. Grant, R.P. Boot-Handford* 126

^{1}H, ^{15}N and ^{13}C NMR assignments of the 434 repressor fragments 1–63 and 44–63 unfolded in 7 M urea (FEBS 11076) *D. Neri, G. Wider, K. Wüthrich* 129

^{15}N NMR assignments and chemical shift analysis of uniformly labeled ^{15}N calbindin D_{9k} in the apo, $(Cd^{2+})_1$ and $(Ca^{2+})_2$ states (FEBS 11079) *N.J. Skelton, M. Akke, J. Kördel, E. Thulin, S. Forsén, W.J. Chazin* 136

The amino acid composition is different between the cytoplasmic and extracellular sides in membrane proteins (FEBS 11077) *H. Nakashima, K. Nishikawa* 141

The A2 isoform of rat Na^+,K^+-adenosine triphosphatase is active and exhibits high ouabain affinity when expressed in transfected fibroblasts (FEBS 11078) *D.M. Kolansky, M.L. Brines, M. Gilmore-Hebert, E.J. Benz Jr.* 147

The interaction between ruptured erythrocytes and low-density lipoproteins (FEBS 11080) *G. Paganga, C. Rice-Evans, R. Rule, D. Leake* 154

Cyanobacterial metallothionein gene expressed in *Escherichia coli*: Metal-binding properties of the expressed protein (FEBS 11081) *J. Shi, W.P. Lindsay, J.W. Huckle, A.P. Morby, N.J. Robinson* 159
The effects of the normal and oncogenic forms of the neu tyrosine kinase, and the corresponding forms of an immunoglobulin E receptor/neu tyrosine kinase fusion protein, on *Xenopus* oocyte maturation (FEBS 11082) *V. Narasimhan, O. Hamill, R.A. Cerione* 164
The 5′ untranslated region from pea seedborne mosaic potyvirus RNA as a translational enhancer in pea and tobacco protoplasts (FEBS 11091) *M. Nicolaisen, E. Johansen, G.B. Poulsen, B. Borkhardt* 169
The uptake and expression of the factor VIII and reporter genes by vascular cells (FEBS 11071) *J.T. Powell, J.M. Klaasse Bos, J.A. van Mourik* 173
Coexpression of the receptor-associated protein gephyrin changes the ligand binding affinities of α_2 glycine receptors (FEBS 11087) *T. Takagi, I. Pribilla, J. Kirsch, H. Betz* 178
Mapping and sequencing of an actively transcribed *Euglena gracilis* chloroplast gene (*ccs*A) homologous to the *Arabidopsis thaliana* nuclear gene *cs(ch-42)** (FEBS 11088) *B. Orsat, A. Monfort, P. Chatellard, E. Stutz* 181
Expression pattern of the activin receptor type IIA gene during differentiation of chick neural tissues, muscle and skin (FEBS 11090) *H. Ohuchi, S. Noji, E. Koyama, F. Myokai, K. Nishikawa, T. Nohno, K. Tashiro, K. Shiokawa, N. Matsuo, S. Taniguchi* 185
Anion permeation limits the uncoupling activity of fatty acids in mitochondria (FEBS 11096) *P. Schönfeld* 190
Delivery of an accessory signal for cell activation by exogenous phosphatidylinositol-specific phospholipase C (FEBS 11095) *S.M. Jamshedur Rahman, M.-y. Pu, Y.-H. Zhang, M. Hamaguchi, T. Iwamoto, R. Taguchi, H. Ikezawa, K.-i. Isobe, T. Yoshida, I. Nakashima* 193
Inhibition of pigeon breast muscle α-ketoglutarate dehydrogenase by phosphonate analogues of α-ketoglutarate (FEBS 11098) *V.I. Bunik, A.I. Biryukov, Y. Zhukov* 197
Studies on the proteins involved in the interaction of high-density lipoprotein with isolated human small intestine epithelial cells (FEBS 11097) *D.D. Sviridov, C. Ehnholm, H. Tenkanen, M.Y. Pavlov, I.G. Safonova, V.S. Repin* 202
Differential regulation of insulin-like growth factor binding protein (IGFBP)-2 mRNA in liver and bone cells by insulin and retinoic acid in vitro (FEBS 11084) *C. Schmid, I. Schläpfer, M. Waldvogel, P.J. Meier, J. Schwander, M. Böni-Schnetzler, J. Zapf, E.R. Froesch* 205
Bleomycin-detectable iron in the plasma of premature and full-term neonates (FEBS 11092) *P.J. Evans, R. Evans, I.Z. Kovar, A.F. Holton, B. Halliwell* 210
Xanthine oxidase/hydrogen peroxide generates sulfur trioxide anion radical ($SO_3^{\bullet-}$) from sulfite (SO_3^{2-}) (FEBS 11089) *X. Sun, X. Shi, N.S. Dalal* 213
Contraction of guinea pig lung parenchyma by pancreatic type phospholipase A_2 via its specific binding site (FEBS 11094) *T. Kanemasa, A. Arimura, J. Kishino, M. Ohtani, H. Arita* 217
Cytosolic chloride ions stimulate Ca^{2+}-induced exocytosis in melanotrophs (FEBS 11102) *M. Rupnik, R. Zorec* 221
Do antigenic peptides have a unique sense of direction inside the MHC binding groove?: A molecular modelling study (FEBS 11069) *B. Gopalakrishnan, B.P. Roques* 224
Regulation of a major cloned voltage-gated K^+ channel from human T lymphocytes (FEBS 11121) *B. Attali, E. Honoré, F. Lesage, M. Lazdunski, J. Barhanin* 229
ATPase state and activity in thylakoids from normal and water-stressed lupin (FEBS 11099) *S. Meyer, Y. de Kouchkovsky* 233
Asp^{85} is the only internal aspartic acid that gets protonated in the M intermediate and the purple-to-blue transition of bacteriorhodopsin: A solid-state ^{13}C CP-MAS NMR investigation (FEBS 11072) *G. Metz, F. Siebert, M. Engelhard* 237
Hemin stimulation of cAMP production in human lymphocytes (FEBS 11103) *H.M. Lander, D.M. Levine, A. Novogrodsky* 242
Direct observation of lactate and alanine by proton double quantum spectroscopy in rat hearts supplied with [3-^{13}C]pyruvate (FEBS 11104) *P. Zhao, A.D. Sherry, C.R. Malloy, E.E. Babcock* 247
Fusion of *Mycoplasma fermentans* strain incognitus with T-lymphocytes (FEBS 11105) *G. Franzoso, D.S. Dimitrov, R. Blumenthal, M.F. Barile, S. Rottem* 251
Thermal denaturation of the alkali light chain–20 kDa fragment complex obtained from myosin subfragment 1 (FEBS 11106) *N.L. Golitsina, V.L. Shnyrov, D.I. Levitsky* 255
DNA fingerprints of *Bombyx mori* L.: Testing of genotypic variability of parthenogenetic strains (FEBS 11108) *A.P. Tretjk, A.P. Ryskov, G.A. Sevastyanova, Y.B. Filippovich, V.A. Strunnikov* 258
Zinc causes tyrosine phosphorylation of hippocampal $p60^{c\text{-}src}$ (FEBS 11107) *A.V. Vener, J. Loeb* 261
The antibacterial peptide seminal plasmin alters permeability of the inner membrane of *E. coli* (FEBS 11109) *N. Sitaram, V. Krishnakumari, R. Nagaraj* 265
Affinity modification of human chromatin with reactive derivatives of oligonucleotides (FEBS 11110) *E.L. Chernolovskaya, N.D. Kobets, R.G. Borissov, T.V. Abramova, V.V. Vlassov* 269

FEBS News 272

Author index to Volume 303 273

Contents to Volume 303 277